

**Tilburg University**

## **An "informationally robust equilibrium" for two-person nonzero-sum games**

Robson, A.J.

*Publication date:*  
1990

[Link to publication in Tilburg University Research Portal](#)

*Citation for published version (APA):*

Robson, A. J. (1990). *An "informationally robust equilibrium" for two-person nonzero-sum games*. (CentER Discussion Paper; Vol. 1990-39). CentER.

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

### **Take down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

ECO **Center** **ER**  
CBM  
R  
for  
8414 omic Research  
1990

# Discussion paper



\* C I N O 1 2 8 5 \*

39



No. 9039

**AN "INFORMATIONALLY ROBUST EQUILIBRIUM"  
FOR TWO-PERSON NONZERO-SUM GAMES**

by Arthur J. Robson

*R51  
336.115.2  
518.55*

June 1990

ISSN 0924-7815

**AN "INFORMATIONALLY ROBUST EQUILIBRIUM"  
FOR TWO-PERSON NONZERO-SUM GAMES\***

Arthur J. Robson  
Department of Economics  
University of Western Ontario  
London, Ontario  
CANADA N6A 5C2

October, 1988  
Last revised May, 1990

\*This research was supported by the Social Sciences and Humanities Research Council of Canada. I am also grateful to the CentER for Economic Research at Tilburg University for its hospitality. I thank Ehud Kalai, Phil Reny, Ariel Rubinstein, Eric van Damme, an editor and a referee of this *Journal* for their comments.

## 1. INTRODUCTION AND SUMMARY

Recent years have seen a proliferation of work seeking to modify the notion of Nash equilibrium as originally defined (Nash, 1950). There have been two main strands. The first larger strand consists of attempts to refine the notion of Nash equilibrium so as to reduce the sometimes large number of equilibria. Among these is the notion of perfectness due to Selten (1975). "Trembling hand" perfectness can be viewed as an expression of slight uncertainty about whether one's opponents will actually choose their Nash strategies. This strand culminates, perhaps, in the various notions of stability in which the behavior of opponents and payoffs are effectively assumed to be possibly slightly uncertain. (See Kohlberg and Mertens, 1986.) The second much smaller strand relaxes the hypothesis underlying Nash equilibrium that each player's belief about an opponent be consistent with the opponent's behavior. Instead a hierarchical structure of beliefs is permitted which has the effect of enlarging the set of equilibria. (See Pearce, 1985, and Bernheim, 1985.) The present work considers the effect of uncertainty about the *informational structure* of the game while retaining the assumptions of known payoffs and rational behaviour in the usual precise Nash sense for all players.

Although the existence of uncertainty about the structure of a game seems as inherently plausible as uncertainty about payoffs or the behavior of opponents, it is much more open-ended. That is, the range of alternative perturbed structures for a given  $N$ -person game, with a complicated sequential structure, perhaps, may be rather large. In the interests of greater specificity, then, attention is limited to two-person nonzero-sum games with simultaneous moves. In this case, there would appear to be a natural candidate for the informationally perturbed game. This models the slight possibility that each player's choice of pure strategy be found out by the other before that second player's choice is made. The perturbed game here models the effect of slight uncertainty about the strategic sequence of moves. The associated refinement is denoted as an "informationally robust equilibrium", IRE for short.

The following section contains a formal treatment of this refinement procedure. It is shown indeed that an "informationally robust equilibrium" can be defined for a general class of two-person nonzero-sum games. Furthermore it is shown that the set of informationally robust equilibria must be non-empty and a subset of the set of Nash equilibria. The mathematical tractability of the notion of an informationally robust equilibrium is a theoretical point in its favor. Such tractability would also facilitate application of the concept in contexts where the informational perturbation seems appropriate.

The construction of an informationally robust equilibrium is loosely reminiscent of "trembling hand" perfectness, at least with a finite number of pure strategies. However, informational robustness does not imply perfectness. Indeed, a dominated strategy may be used in an informationally robust equilibrium. This happens because such a strategy may be attractive to a Stackelberg leader, despite being dominated.

It might be useful to informally analyze an example at this point. Example A is taken from van Damme (1983, p. 14) and is given in Figure 1.

INSERT FIGURE 1 HERE

The Nash equilibria, NE, here are  $(u, \ell)$  and  $(d, r)$  but only  $(u, \ell)$  is normal form perfect. Indeed, "u" is a dominant strategy for 1, as is " $\ell$ " for 2. However, 1 would choose "d" rather than "u", if 1 were a Stackelberg leader, given that 2 broke the resulting tie in 1's favor. Similarly, 2 would choose "r" rather than " $\ell$ " if the roles were reversed. Suppose there were instead only a small probability that either player's pure strategy would be revealed to the other prior to the second player's choice, with the most likely event being simultaneous choice. Player 1, for example, must then choose one strategy taking into account the possibility that it will be revealed to player 2 before 2's choice has to be made, as well as the likelihood of simultaneous choice. This will then turn  $(d, r)$  into a strict equilibrium of the perturbed game, roughly speaking. (Abstracting, that is, from choices made as followers. Ties should continue to be broken as before.) Hence, although



"d" and "r" are dominated in the game with simultaneous moves, they are not dominated in a plausible informationally perturbed game.

Section 3 considers in greater detail the relationship between informational robustness and perfectness. It is shown that strict equilibria of a game with a finite number of pure strategies are both informationally robust and perfect. Example B then completes the demonstration that there is no logical relationship between the two refinements. It also shows that there may be no equilibrium which is both informationally robust and perfect.

Section 4 is a review of the rather scanty literature which relates directly to the present paper.

What moral should be drawn from this discussion of two-person nonzero-sum games with simultaneous moves? In the case of games with more than two players or with non-simultaneous moves, it was already noted that the difficulty with the present procedure is not that there is no plausible informational perturbation but that there are many. No attempt is made here to analyze such general games. However, the moral of this paper is intended to be that the perturbation—informational, behavioral or whatever—which should be used for a particular game cannot be uniquely given in the abstract. To argue such an essentially negative view, it is enough then to focus on two-person nonzero-sum games. Then there is a salient and mathematically tractable informational perturbation to consider, as an alternative to the behavioral perturbation underlying perfectness. Section 3 proves, moreover, that the associated refinement is fundamentally distinct from perfectness. There may be no escape in the end from the need to tailor the perturbations considered to the context.

## 2. DEFINITION, EXISTENCE OF AN IRE

This section is devoted to a proof that a wide class of two-person nonzero-sum games, where moves are simultaneous, must possess an "informationally robust equilibrium", or IRE, for short. This class is large enough to include many games of

economic interest which have a continuum of pure strategies, Cournot duopoly for example. The class is given as:

**Definition 1: Simultaneous Move Game,  $G$**

A game with simultaneous moves is given as

$$G = ((S_i, U_i) | i=1,2)$$

where  $S_i$  are the pure strategy spaces, assumed compact metric spaces, and where

$$U_i: S_1 \times S_2 \rightarrow R \quad i=1,2$$

are continuous functions representing the payoffs.

As usual:

**Definition 2: Mixed Strategies of  $G$**

The sets of mixed strategies for the game  $G$  are defined as

$$M_i = \{\text{set of probability measures on Borel sets of } S_i\}, \quad i=1,2$$

and the corresponding expected payoffs as

$$V_i(m_1, m_2) \equiv \int U_i dm, \quad i=1,2, \text{ for } m_i \in M_i, i=1,2$$

where  $m = m_1 \times m_2$  is the unique product probability measure induced by  $m_1$  and  $m_2$  on  $S_1 \times S_2$ , (See Bartle, 1966, Ch. 10.)

**Remarks.** Billingsley (1968) shows that  $M_1$  and  $M_2$  are compact metrizable spaces with the topology of weak convergence. (See pp. 7-8 and Theorem 6 of the Appendix, p. 240. This topology can be induced by the "Prohorov" metric, as is shown pp. 237-238.) Parthasarathy (1967, p. 57, Lemma 1.1) shows that  $V_i(m_1, m_2)$  are continuous functions on  $M_1 \times M_2$ ,  $i = 1, 2$ .

This structure suffices to establish existence of a Nash equilibrium, or NE, in mixed strategies.



**Theorem 1: Existence of a Nash Equilibrium for  $G$**

Any game  $G$ , as in Definition 1, has an NE in mixed strategies, as in Definition 2. That is, there exists  $(m_1^*, m_2^*) \in M_1 \times M_2$  such that

$$V_1(m_1^*, m_2^*) \geq V_1(m_1, m_2^*), \forall m_1 \in M_1 \text{ and } V_2(m_1^*, m_2^*) \geq V_2(m_1^*, m_2), \forall m_2 \in M_2$$

**PROOF** Glicksburg (1952) proves a stronger version of this, where the pure strategy sets are merely compact Hausdorff spaces.

Now consider the definition of the perturbed game which models the presence of uncertainty concerning the order of moves.

**Definition 3: Perturbed Game,  $G(\epsilon_1, \epsilon_2)$**

For each game  $G$ , as in Definition 1, a perturbed game,  $G(\epsilon_1, \epsilon_2)$ , say, is given as follows. The first move is nature's. She selects "1" with probability  $\epsilon_1 \geq 0$ , "2" with probability  $\epsilon_2 \geq 0$  and "0" with probability  $1 - \epsilon_1 - \epsilon_2 \geq 0$ . If "1" is selected, player 1's choice of pure strategy is revealed to player 2 prior to player 2's choice. Similarly, if "2" is chosen, then player 2's choice of pure strategy is revealed to player 1 prior to his choice. If "0" is chosen, no revelation takes place. In addition, player 1 cannot discriminate between states "0" and "1" and player 2 cannot discriminate between "0" and "2". The payoffs are then, say, for  $i = 1, 2$ ,

$$U_i^{\epsilon}(s_1, s_2, f_1(s_2), f_2(s_1)) = \epsilon_1 U_i(s_1, f_2(s_1)) + (1 - \epsilon_1 - \epsilon_2) U_i(s_1, s_2) + \epsilon_2 U_i(f_1(s_2), s_2)$$

where  $s_1 \in S_1$  is the choice made by player 1 in states "0" and "1" and  $f_1: S_2 \rightarrow S_1$  is a function representing the strategy of player 1 for state "2" when the choice of  $s_2 \in S_2$  is observed. Similar definitions apply for player 2.

The construction of the perturbed game is represented diagrammatically in Figure 2.

INSERT FIGURE 2 HERE

It is desired to establish now that  $G(\epsilon_1, \epsilon_2)$  has an equilibrium in a suitable sense.

To this end:

**Definition 4: Best Replies**

Define the best-reply correspondences

$$R_2: S_1 \rightarrow S_2, \quad R_2(s_1) = \{s_2 \mid U_2(s_1, s_2) \geq U_2(s_1, s'_2) \forall s'_2 \in S_2\}$$

$$R_1: S_2 \rightarrow S_1, \quad R_1(s_2) = \{s_1 \mid U_1(s_1, s_2) \geq U_1(s'_1, s_2) \forall s'_1 \in S_1\}$$

Since  $S_1$  and  $S_2$  are compact, and  $U_1$  and  $U_2$  are continuous, it follows that  $R_1$  and  $R_2$  are nonempty and upper hemicontinuous. (See Berge, 1963, p. 116, "Maximum Theorem").

Now:

**Definition 5: Subgame Perfect Equilibrium**

The equilibrium concept for  $G(\epsilon_1, \epsilon_2)$  is taken to be that of subgame perfect equilibrium or SPE. (This definition extends that given by Selten, 1975, for finite games.) Such an equilibrium is a 4-vector  $(m_1^*, m_2^*, f_1^*, f_2^*)$ , where  $m_1^* \in M_1$ ,  $m_2^* \in M_2$ ,  $f_1^*: S_2 \rightarrow S_1$  and  $f_2^*: S_1 \rightarrow S_2$ . It is required first that  $f_1^*$  and  $f_2^*$  are measurable functions satisfying

$$f_1^*(s_2) \in R_1(s_2), \quad f_2^*(s_1) \in R_2(s_1), \quad \forall s_2 \in S_2, \forall s_1 \in S_1.$$

Expected utility, given  $f_1^*$  and  $f_2^*$ , for each  $m_1 \in M_1$  and  $m_2 \in M_2$ , is:

$$V_i^\epsilon(m_1, m_2, f_1^*, f_2^*) = \int U_i^\epsilon(s_1, s_2, f_1^*(s_2), f_2^*(s_1)) dm, \quad \text{where } m = m_1 \times m_2,$$

is the unique product measure induced by  $m_1$  and  $m_2$  on  $S_1 \times S_2$  and where  $U_i^\epsilon$  are given in Definition 3, for  $i = 1, 2$ . (Since  $f_1^*$  and  $f_2^*$  are measurable, all these integrals exist.) It is secondly required that

$$V_1^\epsilon(m_1^*, m_2^*, f_1^*, f_2^*) \geq V_1^\epsilon(m_1, m_2^*, f_1^*, f_2^*), \quad \text{for all } m_1 \in M_1,$$

$$V_2^\epsilon(m_1^*, m_2^*, f_1^*, f_2^*) \geq V_2^\epsilon(m_1^*, m_2, f_1^*, f_2^*), \quad \text{for all } m_2 \in M_2.$$

That is,  $(m_1^*, m_2^*)$  is a Nash equilibrium given  $(f_1^*, f_2^*)$ .

A useful auxiliary step in the construction of such an SPE is:

**Definition 6: Tie-Breaking Rule**

The tie-breaking rule is that, for example, player 2 breaks ties in favor of 1. That is, player 2 chooses among his best replies one which maximizes player 1's payoff. A similar requirement holds with the roles reversed. To be precise:

$$f_2^*(s_1) \in \arg \max_{s_2 \in R_2(s_1)} U_1(s_1, s_2) \text{ and } f_1^*(s_2) \in \arg \max_{s_1 \in R_1(s_2)} U_2(s_1, s_2),$$

respectively. Since  $S_1$  and  $S_2$  are compact metric spaces and  $R_1$  and  $R_2$  are upper hemicontinuous, such functions  $f_2^*$  and  $f_1^*$  exist as "measurable selections". (See Wagner, 1977, p. 880, Theorem 9.1(ii).) Hellwig *et al* (1990) discuss the role of such tie-breaking rules for games of perfect information.

This implies:

**Lemma 1: Reduced Form Game,  $g(\epsilon_1, \epsilon_2)$**

Given a perturbed game as in Definition 3 and the use of the tie-breaking rule as in Definition 6, it follows that the perturbed game  $G(\epsilon_1, \epsilon_2)$  is equivalent to a "reduced form game" with simultaneous moves given as

$$g(\epsilon_1, \epsilon_2) = ((S_i, u_i^\epsilon) | i=1,2)$$

where the  $S_i$  are as in Definition 1. That is, the payoff function  $U_i^\epsilon$ , as in Definition 3, now depends only on  $(s_1, s_2)$ , and is given as:

$$u_i^\epsilon : S_1 \times S_2 \rightarrow R, i = 1, 2.$$

Furthermore,  $u_i^\epsilon$  is upper semicontinuous in  $(s_1, s_2)$  and continuous in  $s_j$ ,  $i \neq j$ ,  $i, j = 1, 2$ .

**PROOF** Since player 2 breaks ties in favor of player 1, as in Definition 6, it follows that 1's payoff in state "1" is a function of  $s_1$  only given by, say,

$$U_1^L(s_1) \equiv U_1(s_1, f_2^*(s_1)) = \max_{s_2 \in R_2(s_1)} U_1(s_1, s_2)$$

where this is upper semicontinuous in  $s_1$ . (Berge, 1963, p. 116, Theorem 2.) On the other hand, 2's payoff in state "1" is also a function of  $s_1$  only, given by, say,

$$U_2^F(s_1) \equiv U_2(s_1, f_2^*(s_1)) = \max_{s_2 \in S_2} U_2(s_1, s_2)$$

and this is a continuous function of  $s_1$  (Berge, 1963, p. 116, "Maximum Theorem").

Similar observations hold for the analogous  $U_2^L(s_2)$  and  $U_1^F(s_2)$ .

Now the payoffs, as in Definition 3, can be rewritten as, say,

$$u_1^\epsilon(s_1, s_2) = \epsilon_1 U_1^L(s_1) + (1 - \epsilon_1 - \epsilon_2) U_1(s_1, s_2) + \epsilon_2 U_1^F(s_2)$$

$$u_2^\epsilon(s_1, s_2) = \epsilon_1 U_2^F(s_1) + (1 - \epsilon_1 - \epsilon_2) U_2(s_1, s_2) + \epsilon_2 U_2^L(s_2)$$

and the stated continuity properties are immediate.

Now:

**Theorem 2:** *Existence of an NE for  $g(\epsilon_1, \epsilon_2)$  and an SPE for  $G(\epsilon_1, \epsilon_2)$*

(a) The game  $g(\epsilon_1, \epsilon_2)$ , as in Lemma 1, has a NE in mixed strategies, as in Definition 2. That is, there exists  $(m_1^*, m_2^*) \in M_1 \times M_2$  satisfying:

$$v_1^\epsilon(m_1^*, m_2^*) \geq v_1^\epsilon(m_1, m_2^*), \forall m_1 \in M_1 \quad v_2^\epsilon(m_1^*, m_2^*) \geq v_2^\epsilon(m_1^*, m_2), \forall m_2 \in M_2.$$

where expected payoffs are now, for  $i = 1, 2$ , for all  $m_1 \in M_1$  and  $m_2 \in M_2$ ,

$$v_i^\epsilon(m_1, m_2) = \int u_i^\epsilon(s_1, s_2) dm.$$

Here,  $m = m_1 \times m_2$  is the unique product measure induced by  $m_1$  and  $m_2$  on  $S_1 \times S_2$  and the upper semicontinuity of  $u_i^\epsilon$  implies its integrability.

(b) The game  $G(\epsilon_1, \epsilon_2)$  has an SPE, as in Definition 5.

**PROOF** (a) See Robson (1990a). Lemma 1 establishes the properties of the payoffs needed to apply "Theorem 1". Note that Glicksburg (1952) cannot be applied here since the payoffs need not be continuous in pure strategies.

(b) It is easy to check that a suitable SPE, as in Definition 5, is  $(m_1^*, m_2^*, f_1^*, f_2^*)$  where  $(f_1^*, f_2^*)$  satisfy Definition 6, and where  $(m_1^*, m_2^*)$  is then the NE of  $g(\epsilon_1, \epsilon_2)$  from (a).

**Remark.** Definition 6 is not logically needed to prove that an SPE exists. It is simply convenient to show there is an SPE with this property.

Now:

**Definition 7: Informationally Robust Equilibrium IRE**

A strategy pair  $(m_1^*, m_2^*)$  is an "informationally robust equilibrium," or IRE, of  $G$  if and only if there exists some sequence of pairs  $(\epsilon_1(n), \epsilon_2(n))$  and an associated sequence  $(m_1^n, m_2^n, f_1^n, f_2^n)$ , say, of SPEs of  $G(\epsilon_1(n), \epsilon_2(n))$ , as in Definition 5, such that

$$(\epsilon_1(n), \epsilon_2(n)) \rightarrow 0 \text{ and } (m_1^n, m_2^n) \rightarrow (m_1^*, m_2^*), \text{ as } n \rightarrow \infty.$$

The main result is then:

**Theorem 3: Existence of IRE as Refinement of NE**

Any game  $G$  as in Definition 1 has a mixed strategy pair  $(m_1^*, m_2^*)$  which is an IRE, as in Definition 7. Furthermore, any IRE is also a NE of  $G$ , as defined in Theorem 1.

**PROOF** Consider any sequence  $\epsilon(n) = (\epsilon_1(n), \epsilon_2(n)) \rightarrow 0$  as  $n \rightarrow \infty$ . By Theorem 2, the game  $g(\epsilon_1(n), \epsilon_2(n))$ , as in Lemma 1, has an NE,  $(m_1^n, m_2^n) \in M_1 \times M_2$ , say, for all  $n$ . This forms part of an SPE of  $G(\epsilon_1(n), \epsilon_2(n))$ , as in Definition 5. Since  $M_1$  and  $M_2$  are compact metrizable spaces, it follows without loss of generality that there exists a limit point of this sequence of NE,  $(m_1^*, m_2^*)$ , say, which is then an IRE of  $G$ .

Suppose that  $(m_1^*, m_2^*)$  is an IRE but is not an NE of  $G$ . This means that, for example,

$$V_1(m_1', m_2^*) > V_1(m_1^*, m_2^*)$$

for some  $m_1' \in M_1$ , where  $V_1$  is as in Definition 2. Suppose, indeed,

$$V_1(m_1', m_2^*) - V_1(m_1^*, m_2^*) = 5\Delta > 0$$

By Definition 7, there exists a sequence  $(\epsilon_1(n), \epsilon_2(n))$  and a sequence  $(m_1^n, m_2^n, f_1^n, f_2^n)$ , say, of SPEs of  $G((\epsilon_1(n), \epsilon_2(n)))$ , such that

$$(\epsilon_1(n), \epsilon_2(n)) \rightarrow 0 \text{ and } (m_1^n, m_2^n) \xrightarrow{w} (m_1^*, m_2^*) \text{ as } n \rightarrow \infty.$$



Since  $V_1$  is continuous, as noted following Definition 2,  $\exists N_1 \ni n > N_1$  implies

$$|V_1(m_1^n, m_2^n) - V_1(m_1^*, m_2^*)| < \Delta \quad \text{and} \quad |V_1(m_1', m_2^n) - V_1(m_1', m_2^*)| < \Delta$$

Hence

$$\begin{aligned} & |V_1(m_1', m_2^n) - V_1(m_1^n, m_2^n)| = \\ & |[V_1(m_1', m_2^n) - V_1(m_1', m_2^*)] + [V_1(m_1', m_2^*) - V_1(m_1^*, m_2^*)] + [V_1(m_1^*, m_2^*) - V_1(m_1^n, m_2^n)]| \\ & > 5\Delta - \Delta - \Delta = 3\Delta > 0. \end{aligned}$$

(Note the inequality  $|A+B+C| \geq |B| - |A| - |C|$ .) Now, from Definitions 2 and 5, it is not hard to show that:

$$|V_1^{\epsilon}(m_1, m_2, f_1, f_2) - V_1(m_1, m_2)| \leq (\epsilon_1 + \epsilon_2)(U_1^b - U_1^s)$$

where Definition 1 implies the existence of the upper and lower bounds for  $U_1$  on  $S_1 \times S_2$  given as  $U_1^b$  and  $U_1^s$  respectively. Hence  $\exists N_2$  such that  $n > N_2$  implies

$$|V_1^{\epsilon(n)}(m_1, m_2, f_1, f_2) - V_1(m_1, m_2)| < \Delta,$$

*uniformly* in  $(m_1, m_2, f_1, f_2)$ . Hence  $n > \max(N_1, N_2)$  implies that

$$\begin{aligned} & |V_1^{\epsilon(n)}(m_1', m_2^n, f_1^n, f_2^n) - V_1^{\epsilon(n)}(m_1^n, m_2^n, f_1^n, f_2^n)| = \\ & |[V_1^{\epsilon(n)}(m_1', m_2^n, f_1^n, f_2^n) - V_1^{\epsilon(n)}(m_1', m_2^n)] + [V_1^{\epsilon(n)}(m_1', m_2^n) - V_1^{\epsilon(n)}(m_1^n, m_2^n)] + \\ & [V_1^{\epsilon(n)}(m_1^n, m_2^n) - V_1^{\epsilon(n)}(m_1^n, m_2^n, f_1^n, f_2^n)]| \\ & > 3\Delta - \Delta - \Delta = \Delta > 0. \end{aligned}$$

(Recall  $|A+B+C| \geq |B| - |A| - |C|$ .) This contradicts the requirement that

$(m_1^n, m_2^n, f_1^n, f_2^n)$  be an SPE for the game  $G(\epsilon_1(n), \epsilon_2(n))$ . QED.

### 3. INFORMATIONAL ROBUSTNESS AND PERFECTNESS

The first result is that the requirements of informational robustness and perfectness need not conflict.



**Lemma 2. A Strict Equilibrium is an IRE**

Suppose the game  $G$ , as in Definition 1, has a finite number of pure strategies for each player. Suppose  $G$  also has a strict equilibrium, which must then be in pure strategies. (That is, each player's Nash strategy is the unique best reply to the other's. This usage is as in Fudenberg, *et al.*, 1988.) This equilibrium is then "informationally robust".

**PROOF** Simply note that the strict equilibrium of  $G$  must be a (strict) equilibrium of  $g(\epsilon_1, \epsilon_2)$ , as in Lemma 1, if  $(\epsilon_1, \epsilon_2)$  is small enough.

**Remark.** Fudenberg *et al* (1988) observe that a strict equilibrium is indeed "hyperstable" as a singleton set, where hyperstable is as in Kohlberg and Mertens (1986).

The following  $2 \times 2$  example is then sufficient to show that whether an equilibrium is informationally robust is logically independent of whether it is perfect. It indeed shows that a dominated strategy may be used in an IRE. (Example A of the introduction also showed this in an informal way.) Hence such an IRE is a member of no "stable set" as defined by Kohlberg and Mertens, violating their requirement of "admissibility". In addition, Example B shows that it is not possible to resolve this conflict by requiring both informational robustness and perfectness.

Example B is given in Figure 3.

INSERT FIGURE 3 HERE

Here, it is a dominant strategy for 2 to choose "r" and  $(u, r)$  is the unique normal form perfect equilibrium. However, there is a continuum of Nash equilibria in mixed strategies of the form

$$\{((1,0), (q, 1-q)) \mid q \in [0, \frac{1}{2}]\},$$

so that 1 plays "u" for sure and 2 plays "l" with probability  $q$ . Hence the perfect equilibrium is at one end of this continuum. It will be shown that the unique IRE is at the other end of the continuum and thus is:

$$((1,0),(1/2,1/2)).$$

The only tie induced for the follower in either state "1" or state "2" occurs when player 1 chooses "u". However, player 1 is also then indifferent as to how this tie is broken. The reduced form game associated with Example B is then unique and is as in Figure 4.

INSERT FIGURE 4 HERE

This reduced form has unique equilibrium in mixed strategies, given by

$$p = \frac{(1 - \epsilon_1 - 2\epsilon_2)}{(1 - \epsilon_1 - \epsilon_2)}, \text{ and } q = \frac{1 - \epsilon_2}{2(1 - \epsilon_1 - \epsilon_2)}$$

where  $p$  is the probability that player 1 chooses "u" and  $q$  is the probability that 2 chooses "l". Clearly,

$$(p,q) \rightarrow (1,1/2), \text{ as } (\epsilon_1, \epsilon_2) \rightarrow 0,$$

as required.

Example B has an NE which is an IRE but not perfect, namely  $((1,0),(1/2,1/2))$ , which indeed uses the dominated strategy "l". It also has an NE which is perfect but not an IRE, namely  $((1,0),(0,1))$ , and a range of NE which are neither. Since Lemma 2 exhibits a class of NE which are both IREs and perfect, the logical independence of the two concepts follows. Finally, Example B clearly has no equilibrium which is both informationally robust and perfect.

#### 4. RELATED LITERATURE

There is little other work which considers alterations in the informational structure of a game. Two exceptions are noted here.

Matsui (1989) considers a supgame in which there is a slight possibility that one

player's entire strategy will be disclosed to the other before the game itself is played. This is shown to imply that only Pareto efficient outcomes can be sustained as equilibria. There is no analogous result here. (Consider the simplest  $2 \times 2$  co-ordination game, for example, with two strict Nash equilibria, where one Pareto dominates the other. Both are then IREs.) Supergames are at once more special and more complicated than need be the case here.

More closely related is an independent informal paper by Rosenthal (1989). He considers two-person nonzero-sum games, given in normal form. He then investigates the question of which Nash equilibria are "commitment-robust" in the sense of being invariant under either of the transformations of the game which designate one player as Stackelberg leader and the other as follower. It is the mixed strategy of the leader rather than its realization which is revealed to the follower in these transformed games. (This is reminiscent of the approach of von Neumann and Morgenstern, 1947, to two-person zero-sum games.) Rosenthal points out that a Stackelberg leader may wish to use a strategy which is dominated in the original simultaneous move version of the game. He does not consider any argument involving perturbations of the original game analogous to that here. (The original version of the present paper also considered the possibility of mixed strategies being revealed, but considered perturbed games otherwise similar to those here. See Robson, 1990b, also.) Finally, whereas there is a quite general existence result concerning IREs here, Rosenthal notes that a commitment-robust equilibrium need not exist.

## REFERENCES

- Bartle, R.G. (1966), *The Elements of Integration*, Wiley: New York.
- Berge, C. (1963), *Topological Spaces*, MacMillan: New York.
- Bernheim, B. D. (1985), "Rationalizable Strategic Behavior", *Econometrica* 52, 4, 1007–1028
- Billingsley, P. (1968), *Convergence of Probability Measures*, Wiley: New York.
- Fudenberg, D., Kreps, D. and Levine, D. (1988), "On the Robustness of Equilibrium Refinements", *Journal of Economic Theory* 44, 2, 354–380.
- Glicksburg, I. L. (1952), "A Further Generalization of the Kakutani Fixed Point Theorem, with Application to Nash Equilibrium Points", *Proceedings of the American Mathematical Society* 3, 170–174.
- Hellwig, M., Leininger, W., Reny, P. and Robson, A., "Subgame Perfect Equilibrium in Continuous Games of Perfect Information: An Elementary Approach to Existence and to Approximation by Discrete Games," *Journal of Economic Theory*, forthcoming.
- Kohlberg, E. and Mertens, J.F. (1986), "On the Strategic Stability of Equilibria," *Econometrica* 54, 5, 1003–1038.
- Matsui, A. (1989), "Information Leakage Forces Cooperation", *International Journal of Game Theory*, 1, 94–115.
- Nash, J.F. (1950), "Equilibrium Points in N–Person Games", *Proceedings of the National Academy of Sciences of the U.S.A.* 36, pp. 48–49.
- Parthasarathy, K. R. (1967), *Probability Measures on Metric Spaces*, Academic Press: New York.
- Pearce, D. G. (1985), "Rationalizable Strategic Behavior and the Problem of Perfection", *Econometrica*, 52, 4, 1029–1050
- Robson, A. J. (1990a), "Existence of Nash Equilibrium in Mixed Strategies for Games where Payoffs Need Not be Continuous in Pure Strategies", mimeo, CentER, Tilburg.

- Robson, A. J. (1990b), "On the 'Informational Strictness' of Mixed Strategy Equilibria in Two-Person Nonzero-Sum Games", mimeo, CentER, Tilburg.
- Rosenthal, R. W. (1989), "A Note on Robustness of Equilibria with Respect to Commitment Opportunities", Boston University, mimeo.
- Selten, R. (1975), "Re-examination of the Perfectness Concept for Equilibrium Points in Extensive Form Games", *International Journal of Game Theory* 4, 25–55.
- van Damme, E. (1983), *Refinements of the Nash Equilibrium Concept*, Springer: New York.
- von Neumann, J. and Morgenstern, O. (1947), *Theory of Games and Economic Behavior*, Princeton University Press, Princeton, NJ.
- Wagner, D. (1977), "Survey of Measurable Selection Theorems", *SIAM Journal of Control and Optimization*, 15, 859.




Figure 2. The Extensive Form of the Perturbed Game



1 \ 2	$\ell$	$r$
u	$(1, 1)$	$(10, 0)$
d	$(0, 10)$	$(10, 10)$

Figure 1 Example A

1 \ 2	$\ell$	$r$
u	$(1, 0)$	$(1, 0)$
d	$(2, 1)$	$(0, 2)$

Figure 3 Example B

1 \ 2	$\ell$	$r$
u	$(1 + \epsilon_2, \epsilon_2)$	$(1, 0)$
d	$(2 - 2\epsilon_1, 1 + \epsilon_1)$	$(\epsilon_2, 2 - 2\epsilon_2)$

Figure 4 Reduced Form of Perturbed Game, Example B

**Discussion Paper Series, CentER, Tilburg University, The Netherlands:**

(For previous papers please consult previous discussion papers.)

No.	Author(s)	Title
8932	E. van Damme, R. Selten and E. Winter	Alternating Bid Bargaining with a Smallest Money Unit
8933	H. Carlsson and E. van Damme	Global Payoff Uncertainty and Risk Dominance
8934	H. Huizinga	National Tax Policies towards Product- Innovating Multinational Enterprises
8935	C. Dang and D. Talman	A New Triangulation of the Unit Simplex for Computing Economic Equilibria
8936	Th. Nijman and M. Verbeek	The Nonresponse Bias in the Analysis of the Determinants of Total Annual Expenditures of Households Based on Panel Data
8937	A.P. Barten	The Estimation of Mixed Demand Systems
8938	G. Marini	Monetary Shocks and the Nominal Interest Rate
8939	W. Güth and E. van Damme	Equilibrium Selection in the Spence Signaling Game
8940	G. Marini and P. Scaramozzino	Monopolistic Competition, Expected Inflation and Contract Length
8941	J.K. Dagsvik	The Generalized Extreme Value Random Utility Model for Continuous Choice
8942	M.F.J. Steel	Weak Exogeneity in Misspecified Sequential Models
8943	A. Roell	Dual Capacity Trading and the Quality of the Market
8944	C. Hsiao	Identification and Estimation of Dichotomous Latent Variables Models Using Panel Data
8945	R.P. Gilles	Equilibrium in a Pure Exchange Economy with an Arbitrary Communication Structure
8946	W.B. MacLeod and J.M. Malcomson	Efficient Specific Investments, Incomplete Contracts, and the Role of Market Alterna- tives
8947	A. van Soest and A. Kapteyn	The Impact of Minimum Wage Regulations on Employment and the Wage Rate Distribution
8948	P. Kooreman and B. Melenberg	Maximum Score Estimation in the Ordered Response Model

No.	Author(s)	Title
8949	C. Dang	The $D_2$ -Triangulation for Simplicial Deformation Algorithms for Computing Solutions of Nonlinear Equations
8950	M. Cripps	Dealer Behaviour and Price Volatility in Asset Markets
8951	T. Wansbeek and A. Kapteyn	Simple Estimators for Dynamic Panel Data Models with Errors in Variables
8952	Y. Dai, G. van der Laan, D. Talman and Y. Yamamoto	A Simplicial Algorithm for the Nonlinear Stationary Point Problem on an Unbounded Polyhedron
8953	F. van der Ploeg	Risk Aversion, Intertemporal Substitution and Consumption: The CARA-LQ Problem
8954	A. Kapteyn, S. van de Geer, H. van de Stadt and T. Wansbeek	Interdependent Preferences: An Econometric Analysis
8955	L. Zou	Ownership Structure and Efficiency: An Incentive Mechanism Approach
8956	P. Kooreman and A. Kapteyn	On the Empirical Implementation of Some Game Theoretic Models of Household Labor Supply
8957	E. van Damme	Signaling and Forward Induction in a Market Entry Context
9001	A. van Soest, P. Kooreman and A. Kapteyn	Coherency and Regularity of Demand Systems with Equality and Inequality Constraints
9002	J.R. Magnus and B. Pesaran	Forecasting, Misspecification and Unit Roots: The Case of AR(1) Versus ARMA(1,1)
9003	J. Driffill and C. Schultz	Wage Setting and Stabilization Policy in a Game with Renegotiation
9004	M. McAleer, M.H. Pesaran and A. Bera	Alternative Approaches to Testing Non-Nested Models with Autocorrelated Disturbances: An Application to Models of U.S. Unemployment
9005	Th. ten Raa and M.F.J. Steel	A Stochastic Analysis of an Input-Output Model: Comment
9006	M. McAleer and C.R. McKenzie	Keynesian and New Classical Models of Unemployment Revisited
9007	J. Osiewalski and M.F.J. Steel	Semi-Conjugate Prior Densities in Multivariate $t$ Regression Models

No.	Author(s)	Title
9007	J. Osiewalski and M.F.J. Steel	Semi-Conjugate Prior Densities in Multi- variate t Regression Models
9008	G.W. Imbens	Duration Models with Time-Varying Coefficients
9009	G.W. Imbens	An Efficient Method of Moments Estimator for Discrete Choice Models with Choice-Based Sampling
9010	P. Deschamps	Expectations and Intertemporal Separability in an Empirical Model of Consumption and Investment under Uncertainty
9011	W. Güth and E. van Damme	Gorby Games - A Game Theoretic Analysis of Disarmament Campaigns and the Defense Efficiency-Hypothesis
9012	A. Horsley and A. Wrobel	The Existence of an Equilibrium Density for Marginal Cost Prices, and the Solution to the Shifting-Peak Problem
9013	A. Horsley and A. Wrobel	The Closedness of the Free-Disposal Hull of a Production Set
9014	A. Horsley and A. Wrobel	The Continuity of the Equilibrium Price Density: The Case of Symmetric Joint Costs, and a Solution to the Shifting-Pattern Problem
9015	A. van den Elzen, G. van der Laan and D. Talman	An Adjustment Process for an Exchange Economy with Linear Production Technologies
9016	P. Deschamps	On Fractional Demand Systems and Budget Share Positivity
9017	B.J. Christensen and N.M. Kiefer	The Exact Likelihood Function for an Empirical Job Search Model
9018	M. Verbeek and Th. Nijman	Testing for Selectivity Bias in Panel Data Models
9019	J.R. Magnus and B. Pesaran	Evaluation of Moments of Ratios of Quadratic Forms in Normal Variables and Related Statistics
9020	A. Robson	Status, the Distribution of Wealth, Social and Private Attitudes to Risk
9021	J.R. Magnus and B. Pesaran	Evaluation of Moments of Quadratic Forms in Normal Variables

No.	Author(s)	Title
9022	K. Kamiya and D. Talman	Linear Stationary Point Problems
9023	W. Emons	Good Times, Bad Times, and Vertical Upstream Integration
9024	C. Dang	The $D_2$ -Triangulation for Simplicial Homotopy Algorithms for Computing Solutions of Nonlinear Equations
9025	K. Kamiya and D. Talman	Variable Dimension Simplicial Algorithm for Balanced Games
9026	P. Skott	Efficiency Wages, Mark-Up Pricing and Effective Demand
9027	C. Dang and D. Talman	The $D_1$ -Triangulation in Simplicial Variable Dimension Algorithms for Computing Solutions of Nonlinear Equations
9028	J. Bai, A.J. Jakeman and M. McAleer	Discrimination Between Nested Two- and Three- Parameter Distributions: An Application to Models of Air Pollution
9029	Th. van de Klundert	Crowding out and the Wealth of Nations
9030	Th. van de Klundert and R. Gradus	Optimal Government Debt under Distortionary Taxation
9031	A. Weber	The Credibility of Monetary Target Announce- ments: An Empirical Evaluation
9032	J. Osiewalski and M. Steel	Robust Bayesian Inference in Elliptical Regression Models
9033	C. R. Wichers	The Linear-Algebraic Structure of Least Squares
9034	C. de Vries	On the Relation between GARCH and Stable Processes
9035	M.R. Baye, D.W. Jansen and Q. Li	Aggregation and the "Random Objective" Justification for Disturbances in Complete Demand Systems
9036	J. Driffill	The Term Structure of Interest Rates: Structural Stability and Macroeconomic Policy Changes in the UK
9037	F. van der Ploeg	Budgetary Aspects of Economic and Monetary Integration in Europe

No.	Author(s)	Title
9038	A. Robson	Existence of Nash Equilibrium in Mixed Strategies for Games where Payoffs Need not Be Continuous in Pure Strategies
9039	A. Robson	An "Informationally Robust Equilibrium" for Two-Person Nonzero-Sum Games



P.O. BOX 90153, 5000 LE TILBURG, THE NETHERLANDS

**Bibliotheek K. U. Brabant**



17 000 01117586 7